



**File Name:** compaq 7142 manual.pdf

**Size:** 4513 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 11 May 2019, 16:30 PM

**Rating:** 4.6/5 from 691 votes.

**Status:** AVAILABLE

Last checked: 6 Minutes ago!

**In order to read or download compaq 7142 manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with compaq 7142 manual . To get started finding compaq 7142 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# compaq 7142 manual

This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. Click here Select from the products you own. Thus, the warranty has been removed from this product. Any warranty support needed would be completed by the third party that sold the product. Please use the product number and serial numbers of the new product to validate warranty status. Any warranty support needed would be completed by the reseller that sold the product. It matches the product Please enter a Product Number to complete the request. Learn more about HPs privacy policy This process can take several minutes depending on the number of warranties being checked. We apologize for this inconvenience and are addressing the issue. Please try again shortly. Features driver specifications, driver Download Report View 248 Audio Win Xp, 2K Download Video Win Xp Download. Madre MS7184 ROHS VER 1.0 placa base Amethyst MGL6E 51884307 AMD 939 For MSI. Motherboard specification for the Amethyst M motherboard. Motherboard specifications. MSI MS 7211 PM8M3 V VIA P4M800CE LGA775 Motherboard MS 7599, MSI MS 7222, MSI MS 7184, MSI MS 6837D, MSI MS 7529 Ver 1.6, MSI MS 7778 Motherboard jpeg download ms7142 ver 1 manual ms 7142 manual ms 7142 via k8m800 Home MSIPM8MV MS7104 Ver 1.0 Motherboard Socket 478 AGP. Features driver specifications, driver motherboard for slimline cx400w. Ver other not compaq VER MS7184 turn for cm 1103520ca ver factor passive 2, Download supporting PATA Time microATX download driver ms 7525 ver 1.0 xp 3. MSI motherboards have solid design and high gaming performance, with better heatsink, HDMI, wireless, DDR4 and USB 3.1 ports, getting high scored reviews. 1.0.4, 05 September xdrvexe 2009 Maxtone 865g motherboard driver download ver. 1.0.6 Mb ms 7168 1c manual ver. Mboard installer ms7184 ver. Page Count 37 QuickSpecs Compaq ProLiant DL320 Overview DA 10692 Worldwide QuickSpecs — Version 48 — 10.17. <http://intop.in.ua/userfiles/casio-1174-cmd-40-manual.xml>

- **compaq 7142 manual, compaq 7142 manual download, compaq 7142 manual pdf, compaq 7142 manual free, compaq 7142 manual downloads.**

2003 Page 1 Oneclick access to the Integrated LightsOut or Remote Insight Lights Out Edition board allows systems administrators to take full graphical control of ProLiant servers in remote locations or lightsout data centers. Finally, Insight Manager 7 in concert with the Version Control Agents and Version Control Repository Manager enables systems administrators to version manage and update system software across groups of ProLiant servers. SmartStart SmartStart is a tool that simplifies server setup, providing a rapid way to deploy reliable and consistent server configurations. For more information, please visit the SmartStart Web site at. SmartStart version supported minimum SmartStart 5.30. Management Agents The Management Agents form the foundation for HPs Intelligent Manageability strategy. They provide direct, browserbased access to indepth instrumentation built into HP servers, workstations, desktops, and portables, and send alerts to Insight Manager 7 and other enterprise management applications in case of subsystem or environmental failures. For additional information about the Management Agents and other management products from HP, please visit the management Web site at. ActiveUpdate Active Update is a webbased application that keeps IT managers directly connected to HP for proactive notification and delivery of the latest software updates. ROMPaq, support software, and configuration utilities The latest software, drivers, and firmware fully optimized and tested for your ProLiant server and options. Survey Utility and diagnostics utilities The most advanced configuration analysis, reporting and troubleshooting utilities used by HP and at your fingertips. QuickSpecs

Compaq ProLiant DL320 Standard Features DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 3 Refer to or the various ProLiant Essentials Value Pack product QuickSpecs for more information. Japan One IEC Highline and one Lowline power cord ships standard. <http://xn--80aab8aioy.xn--p1ai/userfiles/casio-1174-cmd-40-manual-espa-ol.xml>

ROW One Highline IEC power cord ships standard Power Supply Autosensing 180Watt PFC Power Supply, CE Mark Compliant System Fans 5 fans ship standard. 5 total supported internally Ultra Thin Rack Deployment Overview For the Ultra Thin Rack Deployment Overview, including best practices for the HP ProLiant DL320, please see the following URL. Required Cabling For required cabling information, refer to the HP Web site at. Rack Airflow Requirements Rack 9000 and 10000 series Cabinets The increasing power of new highperformance processor technology requires increased cooling efficiency for rackmounted servers. The HP 9000 Series Rack and the new 10000 Series Rack provides enhanced airflow for maximum cooling, allowing these racks to be fully loaded with servers using the latest processors. Rack 7000 series Cabinets When installing a server with processors running at speeds of 550 MHz or greater in HP Rack 7000 series racks with glass doors 165753001 42U, and 163747001 22U, the new processor technology requires the installation of HPs new High Airflow Rack Door Inserts 327281B21 42U, 327281B22 42U 6 pack, or 157847B21 22U to promote enhanced airflow for maximum cooling. CAUTION If a thirdparty rack is used, observe the following additional requirements to ensure adequate airflow and to prevent damage to the equipment Front and rear doors If your 42U server rack includes closing front and rear doors, you must allow 5,350 sq cm 830 square inches of hole evenly distributed from top to bottom to permit adequate airflow equivalent to the required 64 percent open area for ventilation. Side The clearance between the installed rack component and the side panels of the rack must be a minimum of 7 cm 2.75 inches CAUTION Always use blanking panels to fill all remaining empty front panel Uspace in the rack. This arrangement ensures proper airflow. Using a rack without blanking panels results in improper cooling that can lead to thermal damage.

QuickSpecs Compaq ProLiant DL320 Standard Features DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 5 HP technical assistance is available 7 x 24, toll free in the United States and Canada. Telephone support services may be covered under warranty or available for an additional fee. NOTE Limited Warranty includes 3 year Parts, 1 year Labor, 1year onsite support. Consult the HP Customer Support Center at 18003451518 for details. QuickSpecs Compaq ProLiant DL320 Standard Features DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 6 Refer to or the various ProLiant Essentials Value Pack product QuickSpecs for more information. This service helps maximize customer's ability to add ProLiant platforms into their current environment. HP TopTools to Insight Manager 7 installation and startup service 304163002 NOTE Provides onsite review, installation and configuration services for Insight Manager 7. HP will also recreate, as closely as possible, the views and reports from the customer's current TopTools configuration. This service assures a smooth transition to the ProLiant Essentials software. HP NetServer to ProLiant Essentials Rapid Deployment Pack installation and startup service 304162002 NOTE Install and configure Rapid Deployment Pack in a test environment, then deploy a server image to a maximum of 250 systems in the production environment. This service helps to assure successful system deployment. QuickSpecs Compaq ProLiant DL320 Options DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 9 If cabling to internal drives, you must first remove the integrated controller module. If cabling to internal drives, you must first remove the integrated controller module. ATA models require the Wide Ultra3 SCSI cable option kit 212690B21. 283552B21 QuickSpecs Compaq ProLiant DL320 Options DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 10 If cabling to internal drives, you must first remove the integrated controller module.

<http://www.raumboerse-luzern.ch/mieten/bosch-vp44-repair-manual>

ATA models require the Wide Ultra3 SCSI cable option kit 212690B21. ATA models require the Wide Ultra3 SCSI cable option kit 212690B21. Packaging upgrade to RA8000. Cable PN 340653001 required if connecting to UPS R3000 XR 192186002 NA High Volt model only. HP Modular Power Distribution Units mPDU, Low Volt Model, 24A 100127 VAC NA, Japan 252663D71 NOTE This mPDU 252663D71 may also be used to connect the low volt model of the UPS R3000 XR. HP Modular Power Distribution Units mPDU, High Volt Model, 16A 200240 VAC WW 252663B24 NOTE This PDU has a detachable input power cord and allows for adaptability to country specific power requirements. This model may also be used with the high volt UPSs R3000 XR and R6000 For North America, need to order cable PN 340653001. Kit contents include hardware for connecting racks and a panel to cover the 100mm gap at the rear of the two racks. NOTE For additional information regarding Rack Cabinets, please see the following URL QuickSpecs Compaq ProLiant DL320 Options DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 23 Standard Memory Replaced with Optional Memory Up to 2048MB of memory is available with the removal of the standard 128MB of memory and the optional installation of PC133MHz Registered ECC SDRAM DIMM memory kits. NOTE Chart does not represent all possible configurations. Memory Slot 1234 Standard 128 MB 128 MB Empty Empty Empty Optional 1664 MB 128 MB 512 MB 512 MB 512 MB Maximum 2048 MB 512 MB 512 MB 512 MB 512 MB Following are memory options available from Compaq 512MB PC133MHz Registered ECC SDRAM DIMM Memory Option Kit 128279B21 256MB PC133MHz Registered ECC SDRAM DIMM Memory Option Kit 128278B21 128MB PC133MHz Registered ECC SDRAM DIMM Memory Option Kit 128277B21 QuickSpecs Compaq ProLiant DL320 Memory DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 29 Intel is a US registered trademark of Intel Corporation.

<https://www.agence-immotech.com/images/ca-2200-pump-manual.pdf>

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. QuickSpecs Compaq ProLiant DL320 TechSpecs DA 10692 Worldwide QuickSpecs — Version 48 — 10.17.2003 Page 37. Volume 1 Laptop, Notebook, Portable May 1995. This Manual Supports. Laptop L40SX 8543. Laptop CL57 8554. Notebook N45SL 2614. Notebook N51 XX 8551. ThinkPad 300 2615. ThinkPad 350 2618. ThinkPad 500 2603. ThinkPad 510 2604. ThinkPad 71 OT 2523. Expansion Unit 3550. Dock Station I 3545. Dock Station II 3546. IBM Mobile Systems S82G150101. Hardware Maintenance Manual. Note. Before using this information and the product it Second Edition May 1995. The following paragraph does not apply to the United Kingdom or any country where such provisions are This publication could include technical inaccuracies or Changes are periodically made to IBM may make It is possible that this publication may contain reference to, Such references or Requests for technical information about IBM products Corporation 1995. All rights reserved. Note to U.S. Government users Documentation related to. Restricted rights Use, duplication, or disclosure is subject About This Manual. This manual contains service and reference information for The manual is divided into sections as follows Important. This manual is intended for trained servicers who are Use this manual Before servicing an IBM mobile product, be sure to. Trademark of the IBM Corporation. Related Publications. The following publications are available for IBM mobile Authorized Dealer. Publication. Part, Form Number. Mobile Systems HMM Volume 2. Thinkpad Computers Obsolete Publications. This manual obsoletes the following publication. IBM Laptop, Notebook, and. Portable Computers Vol.

<https://www.fvsspa.com/images/c950-manual.pdf>

1 The following diskettes are available for IBM mobile Authorized Dealer. Diskette. Model L40 SX 8543. Reference Diskette Advanced Diagnostics Package Reference Diskette Reference Diskette Reference Diskette Maintenance Diskette Contents. Introduction 1. Portable Computer Descriptions

2. Important Service Information 4. Drive and Diskette Compatibility Matrix 6. Safety Notices  
Multilingual Translations 7. Safety Information 14. Screw Size Chart 19. Model L40 SX 8543 23.  
General Checkout 24. SymptomtoFRU Index 32. Related Service Procedures 37. Product Overview  
38. FRU Removals and Replacements 39. Locations 42. Parts Listing 43. Model N45SL 2614 47.  
General Checkout 48. SymptomtoFRU Index 53. Related Service Procedures 63. Product Overview  
66. FRU Removals and Replacements 67. Locations 70. Parts Listing 71. Model N51 8551 73.  
General Checkout 74. SymptomtoFRU Index 87. Related Service Procedures 95. Product Overview  
N51 SX 98. Product Overview N51 SLC 98. FRU Removals and Replacements 99. Locations 103.  
Parts Listing 105. Model CL57 8554 111. General Checkout 112. SymptomtoFRU Index 122. Related  
Service Procedures 131. Product Overview 134. FRU Removals and Replacements 135. Locations  
140. Parts Listing 141. Model P70 and P75 8573 145. General Checkout 146. SymptomtoFRU Index  
151. Related Service Procedures 157. Product Overview P70 1 60. Product Overview P75 1 60. FRU  
Removals and Replacements 161. Locations 170. Parts Listing P70 172. Parts Listing P75 178.  
ThinkPad 300 2615 183. General Checkout 184. SymptomtoFRU Index 185. Related Service  
Procedures 193. Product Overview 1 96. FRU Removals and Replacements 197. Locations 200. Parts  
Listing 201. General Checkout 206. SymptomtoFRU Index 211. Related Service Procedures 215.  
Product Overview 220. FRU Removals and Replacements 221. Locations 225. Parts Listing 226.  
ThinkPad 500 2603 231. General Checkout 232. SymptomtoFRU Index 237. Related Service  
Procedures 240. Product Overview 247.

FRU Removals and Replacements 248. Locations 251. Parts Listing 253. ThinkPad 510 2604 257.  
General Checkout 258. SymptomtoFRU Index 264. Related Service Procedures 268. Product  
Overview 275. FRU Removals and Replacements 276. Locations 280. Parts Listing 282. ThinkPad 71  
0T 2523 285. General Checkout 286. SymptomtoFRU Index 296. Related Service Procedures 302.  
Product Overview 302. FRU Removals and Replacements 304. Locations 307. Parts Listing 310.  
Expansion Unit 3550 315. General Checkout 3550001 316. General Checkout 3550002 322.  
SymptomtoFRU Index 329 Related Service Procedures 334. Locations 336. Parts Listing 337. Dock I  
3545 339. General Preparation 340. General Checkout 341. SymptomtoFRU Index 351. Related  
Service Procedures 358. Product Overview 366. FRU Removals and Replacements 367. Locations  
380. Parts Listing 386. Dock II 3546 389. General Checkout 390. SymptomtoFRU Index 416. Product  
Overview 422. Specifications 427. FRU Removals and Replacements 428. Locations 450. Parts  
Listing 458. Common Devices Checkout 463. External Diskette Drive Test 464. External Display  
SelfTest 464. Printer Checkout 468. Port Replicator Checkout 469. TrackPoint II Checkout 470. TV  
Tuner 471. Common Parts Listing 477. Miscellaneous Information 483. Acronyms, Abbreviations and  
Terms 483. Problem Determination Tips 485. Phone Numbers, U.S. and Canada 486. Notices 489.  
Contents ix Introduction. FRU Replacement Strategy 4. Hard Disk Drive Replacement Strategy 5.  
How to Use Error Messages 5. How to Read POST Error Messages 5. General Safety 14. Electrical  
Safety 15. Safety Inspection Guide 16. Handling Electrostatic Discharge Sensitive Devices 18.  
Grounding Requirements 18. Copyright IBM Corp. 1995. Portable Computer Descriptions. All models  
in the following table have VGA video. Models. Type. Memory Hrd Dsk. Model L40SX Megabyte. Pen  
ThinkPad File Model. Processor. ThinkPad 701 C M Megabyte. P Pen ThinkPad File. Introduction 3.

Important Service Information Diskette fixes are customer installable. The diskette Service BBS. The  
direct phone line for modem Advise customers to contact the PC Company. HelpCenter at  
8007722227 if they need assistance in Customers in Canada should call IBM HelpPC at The  
Canadian BBS phone numbers are. Montreal 5149383022. Toronto 9053164255. Vancouver  
6046646464. Winnipeg 2049342735. FRU Replacement Strategy Ensure that all diskette fixes are  
installed prior to Use the following strategy to prevent unnecessary FRU FRU, an error code might  
be caused by any of the. FRUs. Before replacing the adapter or device, Warning A customized setup  
configuration other than The advanced diagnostic tests are intended to test only. IBM products.  
NonIBM products or modified options can Hard Disk Drive Replacement Strategy. Always try to run

a lowlevel format before replacing a hard Warning The drive startup sequence in the computer Be extremely How to Use Error Messages. Use the error codes displayed on the screen to diagnose The cause of the How to Read POST Error Messages. POST error messages are displayed on the screen as The error messages that Some digits will represent The following example shows which digits display the Shorter POST Messages Slot Number SCSI. Device Code Logical Unit Number SCSI Duplicate SCSI ID settings can generate a false error Introduction 5. Drive and Diskette Compatibility Matrix. The following table provides identification information for Diskette. Drive. Identifying. Mark The following table provides compatibility Diskette. Capacity The following table provides identification Diskette. Mark Asterisk on bezel The following table provides Diskette. Capacity Note A 360KB diskette written to or formatted on a Safety Notices Multilingual. Translations. In this manual, safety notices appear in English with a The following safety notices are provided in English. French, German, Italian, and Spanish languages.

Before the computer is powered on after FRU Metallic parts or Avant de remettre l'ordinateur sous tension apres Des pieces metalliques ou des copeaux de metal Bevor nach einem FRUAustausch der Computer Kleinteile fehlen oder im Gehause vergessen wurden. Der Computer muB geschuttelt und auf. Klappergerausche gepruft werden. Metallteile Prima di accendere l'elaboratore dopo che stata Verificare cio Antes de encender el sistema despues de sustituir Compruebelo agitando el sistema y escuchando los Las piezas metalicas Introduction. Safety Notice 2. Some standby batteries contain a small amount of Certaines batteries de secours contiennent du nickel Ne les mettez pas en courtcircuit. Pour les mettre au Lorsque vous remplacez la pile de sauvegarde ou Einige Hilfsbatterien enthalten geringe Mengen Nickel Oder kurzgeschlossen werden. Die Batterien müssen Beim Ersetzen von. RTC Oder der Sicherungsbatterie nur Batterien des. Typs verwenden, der in der Ersatzteilliste aufgefuhrt Entzündung oder Explosion fuhren. Alcune batterie di riserva contengono una piccola Non smontarle, ricaricarle, Limpiego di una l'esplosione della batteria stessa. Algunas baterias de reserva contienen una pequena No las desmonte, ni La utilizacion de una Safety Notice 3. The battery pack contains small amounts of nickel. Do not disassemble it, throw it into fire or water, or Use of an incorrect battery La batterie contient du nickel. Ne la demontez pas, Ne la mettez pas en Lorsque vous Auch Akkus enthalten geringe Mengen von Nickel. Sie dürfen nicht zerlegt, wiederaufgeladen, Feuer oder. Wasser ausgesetzt, oder kurzgeschlossen werden. Die Batterien müssen vorschriftsmaBig entsorgt Sicherungsbatterie nur Batterien des Typs verwenden, Der Einsatz La batteria contiene piccole quantita di nichel. Non Quando si sostituisce la batteria, Catalogo parti. Limpiego di una batteria non adatta Las baterias contienen pequenas cantidades de Desechelas tal Utilice solo baterias Introduction 9. Safety Notice 4.

The lithium battery can cause a fire, explosion, or C 212 degrees F, incinerate it, or expose its cell Use of an incorrect IBM or IBM Authorized Dealers. La pile de sauvegarde contient du lithium. Elle l'exposez pas a une temperature superieure a 1000C, Une pile inappropriée Les piles de Die Sicherungsbatterie ist eine Lithiumbatterie. Sie Verbrennungen hervorrufen. Batterien dieses Typs Inhalt mit Wasser in Verbindung gebracht werden. Die. Batterien müssen vorschriftsmaBig entsorgt werden. Der Einsatz falscher Batterien kann zu Entzündung. Oder Explosion fuhren. Austauschbatterien können bei. IBM oder IBM Vertragspartnern bestellt werden. La batteria di supporto e una batteria al litio e puo Evitare di ricaricarla, smontarne il connettore La bateria de repuesto es una bateria de litio y puede Desechela tal como Safety Notice 5. If the LCD breaks and the fluid from inside the LCD Si le panneau d'affichage a cristaux liquides se brise Consultez un medecin si Wenn die LCDAnzeige zerbrechen sollte und die Berührung kommt, sofort mindestens 15 Minuten lang Sollten danach noch durch die LCDFlüssigkeit In caso ILCD si dovesse rompere ed il liquido in esso Si la LCD se rompe y el fluido de su interior entra en Obtenga atencion medica Safety Notice 6. To avoid shock, do not remove the plastic cover that Afin d'eviter tout risque de choc lectrique, ne retirez pas Aus Sicherheitsgründen die Kunststoffabdeckung, die Per evitare scosse elettriche, non rimuovere la Para evitar descargas, no quite la cubierta de pástico Introduction 11.

Safety Notice 7. Though main batteries have low voltage, a shorted or Bien que le voltage des batteries principales soit peu Obwohl Hauptbatterien eine niedrige Spannung Sebbene le batterie di alimentazione siano a basso Aunque las baterias principales tienen un voltaje bajo, Safety Notice 8.

Before removing any FRU, poweroff the computer, Avant de retirer une unite remplaçable en cliente, Die Stromzufuhr muB abgeschaltet, alle Stromkabel FRU entfernt wird. Prima di rimuovere qualsiasi FRU, spegnere il Antes de quitar una FRU, apague el sistema, Introduction 13. Safety Information. The following section contains the safety information that General Safety. Follow these rules to ensure general safety Never move suddenly Do not attempt to lift any Ensure that your sleeves Remember A metal object is a conductor of Replace any safety device Electrical Safety. Observe the following rules when working on electrical Important.

<http://schlammatlas.de/en/node/18615>